



MUSTEE

Elegance ▪ Innovation ▪ Durability

Bathtubs ▪ Bathtub Walls ▪ Shower Floors ▪ Shower Walls



Proudly Distributed by:



F.W. WEBB COMPANY



60" x 30" Bathtub & Wall T6030L/R + 670WHT

TOPAZ™ BATHTUB WHITE FIBERGLASS





Features

- One piece precision molded from Mustee's premium VARISTONE™ fiberglass
- Apron supported by 2 molded brackets with structural bottom and sides
- Ergonomically contoured back with a 40° lumbar slope
- Proprietary finish creates a long lasting finish and scratch-resistant surface
- Slip-resistant bottom
- Suitable for use with all popular finished wall treatments
- Easy to clean

Code Accepted

TOPAZ™ Bathtubs meet or exceed performance requirements:

- International Association of Plumbing and Mechanical Officials (IAPMO) 
- American National Standards Institute (ANSI) – Specification Z 124-2017 


TOPAZ™ BATHTUB WALL WHITE FIBERGLASS DIRECT-TO-STUD MOUNTED




Features

- Embossed 7" x 7" tile pattern
- Compression molded fiberglass for strength
- Fits Topaz™ 60" x 30" Bathtubs and others
- Includes two molded-in self-draining shelves
- Three panel system with tongue-and-groove seams for a watertight surround
- Mounts direct-to-stud with mounting flanges hidden behind drywall
- Smooth, colorfast semi-gloss finish, resists scuffs
- Mold and mildew-resistant...easy to clean

CTRL#	ALT1	Mustee Model #	Description
401915	MUST6030LWHT	T6030L	Left hand drain
401916	MUST6030RWHT	T6030R	Right hand drain



CTRL#	ALT1	Mustee Model #
1058539	MUS670WHT	670WHT



60" x 30" Bathtub & Bathtub Wall

T6030L/R + 680WHT



TOPAZ™ BATHTUB WHITE FIBERGLASS





Features

- One piece precision molded from Mustee's premium VARISTONE™ fiberglass
- Apron supported by 2 molded brackets with structural bottom and sides
- Ergonomically contoured back with a 40° lumbar slope
- Proprietary finish creates a long lasting finish and scratch-resistant surface
- Slip-resistant bottom
- Suitable for use with all popular finished wall treatments
- Easy to clean

Code Accepted

TOPAZ™ Bathtubs meet or exceed performance requirements:

- International Association of Plumbing and Mechanical Officials (IAPMO) 
- American National Standards Institute (ANSI) – Specification Z 124-2017 


TOPAZ™ BATHTUB WALL WHITE FIBERGLASS DIRECT-TO-STUD MOUNTED




Features

- Compression molded fiberglass for strength
- Fits Topaz™ 60" x 30" Bathtubs and others
- Includes three self-draining selves molded
- Stylish tile pattern
- Three panel system with tongue-and-groove seams for a watertight surround
- Mounts direct-to-stud with mounting flanges hidden behind drywall
- Smooth, colorfast semi-gloss finish, resists scuffs
- Mold and mildew-resistant...easy to clean

CTRL#	ALT1	Mustee Model #	Description
401915	MUST6030LWHT	T6030L	Left hand drain
401916	MUST6030RWHT	T6030R	Right hand drain



CTRL#	ALT1	Mustee Model #
1058671	MUS680WHT	680WHT





60" x 32" Bathtub & Bathtub Wall

T6032L/R + 680-32WHT

TOPAZ™ BATHTUB WHITE FIBERGLASS





Features

- One piece precision molded from Mustee's premium VARISTONE™ fiberglass
- Apron supported by 2 molded brackets with structural bottom and sides
- Ergonomically contoured back with a 40° lumbar slope
- Proprietary finish creates a long lasting finish and scratch-resistant surface
- Slip-resistant bottom
- Suitable for use with all popular finished wall treatments
- Easy to clean

Code Accepted

TOPAZ™ Bathtubs meet or exceed performance requirements:

- International Association of Plumbing and Mechanical Officials (IAPMO) 
- American National Standards Institute (ANSI) – Specification Z 124-2017 


TOPAZ™ BATHTUB WALL WHITE FIBERGLASS DIRECT-TO-STUD MOUNTED




Features

- Compression molded fiberglass for strength
- Fits Topaz™ 60" x 32" Bathtubs and others
- Includes three self-draining selves molded
- Stylish tile pattern
- Three panel system with tongue-and-groove seams for a watertight surround
- Mounts direct-to-stud with mounting flanges hidden behind drywall
- Smooth, colorfast semi-gloss finish, resists scuffs
- Mold and mildew-resistant...easy to clean

CTRL#	ALT1	Mustee Model #	Description
1048219	MUST6032LWHT	T6032L	Left hand drain
1048220	MUST6032RWHT	T6032R	Right hand drain



CTRL#	ALT1	Mustee Model #
1058542	MUS680-32WHT	680-32WHT



32" Square Shower Floor & Shower Wall

3232M + 732WHT



DURABASE® SHOWER FLOOR 32" x 32" WHITE



Features

- Sturdy, one-piece compression molded fiberglass with structural underbody
- Integrally molded drain with seal and removable strainer
- Slip-resistant Starburst® floor design
- Designed for connection to pipe
- Mold and mildew-resistant surface, easy to clean

Code Accepted

Meet or exceed performance requirements as indicated:

- International Association of Plumbing and Mechanical Officials (IAPMO®)
- American National Standards Institute (ANSI) – Specification Z 124-2017
- Warnock Hersey® (Canada) Listed – CSA test standards: Shower Floor
- American Society of Testing and Materials (ASTM) – E-84
- CAN/ULC S102-07 Burn and Smoke Test



DURAWALL® SHOWER WALL 32" x 32" WHITE





Features

- DURAWALL® shower walls feature convenient direct-to-stud mounting, innovative leak-proof, tongue-and-groove panels
- DURAWALL® shower wall systems feature multiple, molded-in shelves and a deep gloss, mildew/stain-resistant finish
- 3 piece wall system
- Fits Mustee 3232M DURABASE®

CTRL# ALT1 Mustee Model

529191 MUS3232M 3232M





36" Square Shower Floor & Shower Wall

3636M + 736WHT

DURABASE® SHOWER FLOOR 36" x 36" WHITE



Features

- Sturdy, one-piece compression molded fiberglass with structural underbody
- Integrally molded drain with seal and removable strainer
- Slip-resistant Starburst® floor design
- Designed for connection to pipe
- Mold and mildew-resistant surface, easy to clean

Code Accepted

Meet or exceed performance requirements as indicated:

- International Association of Plumbing and Mechanical Officials (IAPMO®)
- American National Standards Institute (ANSI) – Specification Z 124-2017
- Warnock Hersey® (Canada) Listed – CSA test standards: Shower Floor
- American Society of Testing and Materials (ASTM) – E-84
- CAN/ULC S102-07 Burn and Smoke Test



DURAWALL® SHOWER WALL 36" x 36" WHITE




Features


- DURAWALL® shower walls feature convenient direct-to-stud mounting, innovative leak-proof, tongue-and-groove panels
- DURAWALL® shower wall systems feature multiple, molded-in shelves and a deep gloss, mildew/stain-resistant finish
- 3 piece wall system
- Fits Mustee 3636M DURABASE®

CTRL# ALT1 Mustee Model

537300 MUS3636M 3636M



THRESHOLD



36" Neo-Angle Floor & Shower Wall

3636CM + 736CWHT



DURABASE® SHOWER FLOOR 36" x 36" WHITE



Features

- Sturdy, one-piece compression molded fiberglass with structural underbody
- Integrally molded drain with seal and removable strainer
- Slip-resistant Starburst® floor design
- Designed for connection to pipe
- Mold and mildew-resistant surface, easy to clean

Code Accepted

Meet or exceed performance requirements as indicated:

- International Association of Plumbing and Mechanical Officials (IAPMO®)
- American National Standards Institute (ANSI) – Specification Z 124-2017
- Warnock Hersey® (Canada) Listed – CSA test standards: Shower Floor
- American Society of Testing and Materials (ASTM) – E-84
- CAN/ULC S102-07 Burn and Smoke Test



DURAWALL® SHOWER WALL 36" x 36" WHITE






Features

- DURAWALL® shower walls feature convenient direct-to-stud mounting, innovative leak-proof, tongue-and-groove panels
- DURAWALL® shower wall systems feature multiple, molded-in shelves and a deep gloss, mildew/stain-resistant finish
- 3 piece wall system
- Fits Mustee 3636CM DURABASE®

CTRL# ALT1 Mustee Model

401918 MUS3636CM 3636CM





32" x 48" Rectangular Shower Floor & Shower Wall

3248M + 748-32WHT

DURABASE® SHOWER FLOOR 32" x 48" WHITE



Features

- Sturdy, one-piece compression molded fiberglass with structural underbody
- Integrally molded drain with seal and removable strainer
- Slip-resistant Starburst® floor design
- Designed for connection to pipe
- Mold and mildew-resistant surface, easy to clean

Code Accepted


Meet or exceed performance requirements as indicated:

- International Association of Plumbing and Mechanical Officials (IAPMO®)
- American National Standards Institute (ANSI) – Specification Z 124-2017
- Warnock Hersey® (Canada) Listed – CSA test standards: Shower Floor
- American Society of Testing and Materials (ASTM) – E-84
- CAN/ULC S102-07 Burn and Smoke Test



CTRL# ALT1 Mustee Model

527281 MUS3248M 3248M



DURAWALL® SHOWER WALL 32" x 48" WHITE



Features


- DURAWALL® shower walls feature convenient direct-to-stud mounting, innovative leak-proof, tongue-and-groove panels
- DURAWALL® shower wall systems feature multiple, molded-in shelves and a deep gloss, mildew/stain-resistant finish
- 3 piece wall system
- Fits Mustee 3248M DURABASE®

Mustee

CTRL#	ALT1	Mustee Model #	A	B	C	D	E	F
707122	MUS748-32WHT	748-32WHT	48"	32"	33½"	24"	16"	33¼"

Components for above kit code:

CTRL#	ALT1	Mustee Model #	Description
1058547	MUS700.2W	700.2W	Side Wall
1058553	MUS748.32W	748.32W	Back Wall



34" x 48" Rectangular Shower Floor & Shower Wall **3448M + 748-34WHT**



DURABASE® SHOWER FLOOR 34" x 48" WHITE



Features

- Sturdy, one-piece compression molded fiberglass with structural underbody
- Integrally molded drain with seal and removable strainer
- Slip-resistant Starburst® floor design
- Designed for connection to pipe
- Mold and mildew-resistant surface, easy to clean


Code Accepted

Meet or exceed performance requirements as indicated:

- International Association of Plumbing and Mechanical Officials (IAPMO®)
- American National Standards Institute (ANSI) – Specification Z 124-2017
- Warnock Hersey® (Canada) Listed – CSA test standards: Shower Floor
- American Society of Testing and Materials (ASTM) – E-84
- CAN/ULC S102-07 Burn and Smoke Test



CTRL#	ALT1	Mustee Model #
537299	MUS3448M	3448M



DURAWALL® SHOWER WALL 34" x 48" WHITE




Features

- DURAWALL® shower walls feature convenient direct-to-stud mounting, innovative leak-proof, tongue-and-groove panels
- DURAWALL® shower wall systems feature multiple, molded-in shelves and a deep gloss, mildew/stain-resistant finish
- 3 piece wall system
- Fits Mustee 3448M DURABASE®

CTRL#	ALT1	Mustee Model #	A	B	C	D	E	F
1058538	MUS748-34WHT	748-34WHT	48"	34	35½"	24"	17"	35¼"

Components for above kit code:


CTRL#	ALT1	Mustee Model #	Description
1058547	MUS700.2W	700.2W	Side Wall
1058132	MUS748.34W	748.34W	Back Wall





30" x 60" Rectangular Shower Floor & Shower Wall 3060L/R + 760T-30WHT

DURABASE® SHOWER FLOOR 30" x 60" WHITE



Features

- Sturdy, one-piece compression molded fiberglass with structural underbody
- Slip-resistant Starburst® floor design
- Designed for connection to pipe
- Mold and mildew-resistant surface, easy to clean


Code Accepted

Meet or exceed performance requirements as indicated:

- International Association of Plumbing and Mechanical Officials (IAPMO®)
- American National Standards Institute (ANSI) – Specification Z 124-2017
- Warnock Hersey® (Canada) Listed – CSA test standards: Shower Floor
- American Society of Testing and Materials (ASTM) – E-84
- CAN/ULC S102-07 Burn and Smoke Test



CTRL#	ALT1	Mustee Model #	Description
401911	MUS3060L	3060L	Left hand drain
401912	MUS3060R	3060R	Right hand drain



DURAWALL® SHOWER WALL 30" x 60" WHITE




Features

- Compression molded fiberglass for optimum strength
- Embossed large-tile pattern
- Five-panel wall system with interlocking tongue-and-groove seams that assemble quickly to create a watertight surround
- Mounts direct-to-stud with mounting flanges hidden behind drywall or other wall treatment
- Available in white
- Smooth, colorfast deep gloss finish, resists scuffs.
- Mold and mildew-resistant, easy to clean
- Designed to support CareGiver® Grab Bars and Fold-Down Seats as needed

CTRL#	ALT1	Mustee Model #
1058133	MUS760T-30WHT	760T-30WHT

Components for above kit code:

CTRL#	ALT1	Mustee Model #	Description
1058540	MUS760T.1	760T.1	Back Wall
1058541	MUS760T.2	760T.2	Side Wall
1058543	MUS760T.6	760T.6	Corners



34" x 60" Rectangular Shower Floor & Shower Wall 3460M + 760T-34WHT



DURABASE® SHOWER FLOOR 34" x 60" WHITE



Features

- Sturdy, one-piece compression molded fiberglass with structural underbody
- Integrally molded drain with seal and removable strainer
- Slip-resistant Starburst® floor design
- Designed for connection to pipe
- Mold and mildew-resistant surface, easy to clean

Code Accepted


Meet or exceed performance requirements as indicated:

- International Association of Plumbing and Mechanical Officials (IAPMO®)
- American National Standards Institute (ANSI) – Specification Z 124-2017
- Warnock Hersey® (Canada) Listed – CSA test standards: Shower Floor
- American Society of Testing and Materials (ASTM) – E-84
- CAN/ULC S102-07 Burn and Smoke Test



CTRL# ALT1 Mustee Model

524705 MUS3460M 3460M



DURAWALL® SHOWER WALL 34" x 60" WHITE



Features

- Compression molded fiberglass for optimum strength
- Embossed large-tile pattern
- Five-panel wall system with interlocking tongue-and-groove seams that assemble quickly to create a watertight surround
- Mounts direct-to-stud with mounting flanges hidden behind drywall or other wall treatment
- Available in white
- Smooth, colorfast deep gloss finish, resists scuffs.
- Mold and mildew-resistant, easy to clean
- Designed to support CareGiver® Grab Bars and Fold-Down Seats as needed


CTRL# ALT1 Mustee Model

1058536 MUS760T-34WHT 760T-34WHT

Components for above kit code:

CTRL# ALT1 Mustee Model # Description

1058540	MUS760T.1	760T.1	Back Wall
1058541	MUS760T.2	760T.2	Side Wall
1058544	MUS760T.10	760T.10	Corners



E. L. Mustee & Sons, Inc.

5431 West 164th St.
Brook Park, OH 44142

Phone: 216-267-3100
Fax: 216-267-9997

Email: info@mustee.com

www.mustee.com

