

Technical Data Sheet

Viper Coil Coating

Part Number RT640A, 15oz (432g)

Overview: Viper Coil Coating is the toughest and longest lasting coil coating you will ever need to apply. Protects coils and other metal surfaces against salt and other corrosive chemical environments. Heat transfer will not be compromised if used as directed. This product is an aerosol version of our coil coating supplied to OEM's worldwide.

Application: First, clean coil with an aggressive coil cleaner such as our Viper Brite to remove all surface oxidation. The aerosol injector produces a vertical flat spray pattern to reach deep between the coil fins. Apply a single coat to the front and back of the coil. Coat all surrounding metal for extra protection. Use when temperature is above 50F and below 90F (10-32C). Set up time is 5-30 minutes. Complete cure in about one hour.

Chemical Description: Solvent borne, proprietary epoxide coating. Please refer to SDS for more information.

Properties: This product is a clear coating as per EPA and State of CA requirements. VOC content is less than 60% as per CARB method 310. MIR vale is less than 1.5o.

Certifications: Kosher certified by OK Kosher.

Storage and Handling: DANGER: Flammable, protect from heat or flame. Store away from heat, 120F (48C) or direct sunlight. Do not incinerate. Use only in well ventilated areas. Contents under pressure. Avoid breathing vapors and wear NISHO approved ventilator. Rinse any affected areas with soap and water. Soak up spills with adsorbent material and dispose according to Federal or State laws.