



# Safety Data Sheet

SWEET AIR SPRAY

SDS Revision Date:

12/12/2022

## 1. Identification

### 1.1. Product identifier

**Product Identity**

SWEET AIR SPRAY

**Alternate Names**

PRO65120 60-520, Blended Formula, Sweet Air Spray Odor Neutralizer Spray- 16 oz Aerosol

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Intended use**

It is used to eliminate unwanted odors for long periods of time.

**Application Method**

Read all precautions and instructions carefully before and after use.

### 1.3. Details of the supplier of the safety data sheet

**Company Name**

ComStar International Inc.  
20-47 128th Street,  
College Point, NY 11356

**Telephone No.**

718-445-7900  
800-328-0142  
Fax: 718-353-5998

**Emergency 24 HR response No:** 1-800-424-9300 & 703-527-3887 CHEMTREC

Note: The CHEMTREC phone number is only for emergencies involving spills, leaks, fire, exposure or accident. Please direct all other inquiries to our customer service phone number.

## 2. Hazard(s) identification

### Hazard Classification

**Physical hazards**

H223 Flammable aerosols

Category 1

**Health hazards**

Aspiration hazard

Category 1

**Environmental hazards**

Not classified.

**OSHA defined hazards**

Not classified.

Label elements

**Hazard Symbol:**



**Signal word**

**WARNING**

**Hazard statement**

Extremely flammable aerosol. May be fatal if swallowed and enters airways.

# Safety Data Sheet

SWEET AIR SPRAY

SDS Revision Date:

12/12/2022



## Precautionary statements

### Prevention

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.

### Response

If swallowed: Immediately call a poison center/doctor Do not induce vomiting.

### [Storage]:

Protect from sunlight. Do not expose to temperature exceeding 50°C/122°F. Store locked up.

### [Disposal]:

Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Hazard(s) not otherwise classified (HNOC)

NONE

## 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Distillates (petroleum), hydrotreated light 64742-47-8	10 - <20%		
Propane 74-98-6	5 - <10%		
Butane 106-97-8	5 - <10%		
Benzaldehyde 100-52-7	1 - <5%		
Acetic acid, pentyl ester 628-63-7	0.1 - <1%		

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

\*The full texts of the phrases are shown in Section 16.

## 4. First aid measures

### 4.1. Description of first aid measures

#### General

In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.

#### Inhalation

Move to fresh air.

#### Eyes

Rinse immediately with plenty of water.

#### Skin

Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.

#### Ingestion

Call a physician or poison control center immediately. Rinse mouth. Never give liquid

# Safety Data Sheet

SWEET AIR SPRAY

SDS Revision Date:

12/12/2022



to an unconscious person. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

## 4.2. Most important symptoms and effects, both acute and delayed

**Overview** No data available.

**Hazard** No data available.

**Indication of immediate medical attention and special treatment needed**

**Treatment** No data available.

## 5. Fire-fighting measures

### 5.1. General Fire Hazards:

Use water spray to keep fire-exposed containers cool. Fight fire from a protected location. Move containers from fire area if you can do so without risk.

### 5.2. Extinguishing media

Use fire-extinguishing media appropriate for surrounding materials.

### 5.3. Unsuitable Extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

### 5.4. Special hazards arising from the substance or mixture

Vapors may travel considerable distance to a source of ignition and flash back.

### 5.5. Special protective equipment and precautions for firefighters

#### Special firefighting procedures

No Data available

#### Special protective equipment for fire-fighters

Firefighters must use standard protective equipment including flame-retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

## 6. Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Ventilate closed spaces before entering them. Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind.

### 6.2. Environmental precautions

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water sources or sewer. Environmental manager must be informed of all major spillage.

### 6.3. Notification Procedures

ELIMINATE all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop leak if you can do so without risk.

# Safety Data Sheet

SWEET AIR SPRAY

SDS Revision Date:

12/12/2022



## 6.4. Methods and material for containment and cleaning up

Stop the flow of material, if this is without risk. Absorb with sand or other inert absorbent.

## 7. Handling and storage

### 7.1. Precautions for safe handling

Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.

See section 2 for further details. - [Prevention]:

### 7.2. Conditions for safe storage, including any incompatibilities

Store locked up. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Aerosol Level 1

## 8. Exposure controls and personal protection

### 8.1. Control parameters

#### Exposure

Chemical Identity	Type	Exposure Limit Values	
Distillates (petroleum), hydrotreated light	REL	100 mg/m <sup>3</sup>	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
Distillates (petroleum), hydrotreated light - Non-aerosol. - as total hydrocarbon vapor	TWA	200 mg/m <sup>3</sup>	US. ACGIH Threshold Limit Values (2008)
	TWA	200 mg/m <sup>3</sup>	US. ACGIH Threshold Limit Values (2008)
Propane	REL	1,000 ppm/ 1,800mg/m <sup>3</sup>	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	PEL	1,000 ppm/ 1,800mg/m <sup>3</sup>	US. OSHA Table Z-1 Limits for Air Contaminants (29CFR 1910.1000) (02 2006)
	TWA	1,000 ppm/ 1,800mg/m <sup>3</sup>	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Butane	REL	800 ppm/ 1,900 mg/m <sup>3</sup>	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	STEL	1,000 ppm	US. ACGIH Threshold Limit Values (03 2018)
	TWA	800 ppm/ 1,900 mg/m <sup>3</sup>	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Acetic acid, pentyl ester	REL	100 ppm/ 525 mg/m <sup>3</sup>	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	TWA	50 ppm	US. ACGIH Threshold Limit Values (2008)
	STEL	100 ppm	US. ACGIH Threshold Limit Values (2008)
	PEL	100 ppm	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)

# Safety Data Sheet

SWEET AIR SPRAY

SDS Revision Date:

12/12/2022



	TWA	100ppm/ 525 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Acetic acid, phenylmethylester	TWA	10 pmm	US. ACGIH Threshold Limit Values (2008)
Ammonium hydroxide ((NH4)(OH))	STEL	35 pmm	US. ACGIH Threshold Limit Values (2008)
	TWA	25 ppm	US. ACGIH Threshold Limit Values (2008)
	STEL	35 ppm/ 27 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	STEL	35 ppm/ 27 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	REL	25 ppm/ 18 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	PEL	50 ppm/ 355 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29CFR 1910.1000) (02 2006)

## Appropriate Engineering Controls

No data available
<b>Individual protection measures, such as personal protective equipment</b>

<b>8.2. General Information</b>	Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.
<b>Eye/Face protection</b>	Wear goggles/face shield
<b>Skin protection/ Hand protection</b>	No data available
<b>Other</b>	No data available
<b>8.3. Respiratory Protection</b>	In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.
<b>8.4. Hygiene measures</b>	When using do not smoke. Observe good industrial hygiene practices.

See section 2 for further details. - [Prevention]:

## 9. Physical and chemical properties

<b>Appearance</b>	Liquid
<b>Form</b>	Spray Aerosol
<b>Color</b>	No data available
<b>Odor</b>	No data available
<b>Odor threshold</b>	No data available
<b>pH</b>	No data available
<b>Melting point / freezing point</b>	No data available
<b>Initial boiling point and boiling range</b>	Estimated 100 °C
<b>Flash Point</b>	Estimate – 104.4°C

# Safety Data Sheet

SWEET AIR SPRAY

SDS Revision Date:

12/12/2022



Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive limits	
Flammability limit - upper (%):	Estimated 9.5 %(V)
Flammability limit - lower (%):	Estimated 1.9 %(V)
Explosive limit - upper (%):	No data available
Explosive limit - lower (%):	No data available
Vapor pressure	No data available
Vapor Density	No data available
Density	No data available
Relative density	No data available
Solubilities	No data available
Solubility in Water	No data available
Solubility(other)	No data available
Partition coefficient n-octanol/water	No data available
	Estimated
Auto-ignition temperature	243 °C
Decomposition temperature	No data available
Viscosity	No data available

## 10. Stability and reactivity

### 10.1. Reactivity

No data available

### 10.2. Chemical stability

Material is stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No data available

### 10.4. Conditions to avoid

Avoid heat or contamination

### 10.5. Incompatible materials

No data available

### 10.6. Hazardous decomposition products

No data available

## 11. Toxicological information

### Information on likely routes of exposure

**Inhalation:** No data available.

**Skin Contact:** No data available.

**Eye contact:** No data available.

**Ingestion:** No data available.

# Safety Data Sheet

SWEET AIR SPRAY

SDS Revision Date:

12/12/2022



## Symptoms related to the physical, chemical and toxicological characteristics

**Inhalation:** No data available.

**Skin Contact:** No data available.

**Eye contact:** No data available.

**Ingestion:** No data available.

## Information on toxicological effects

### Acute toxicity (list all possible routes of exposure)

#### Oral

**Product:** ATEmix: 43,260.22 mg/kg

#### Dermal

**Product:** Not classified for acute toxicity based on available data.

#### Specified substance(s):

Distillates (petroleum),  
hydrotreated light      LD 50 (Rabbit): > 2,000 mg/k

# Safety Data Sheet

SWEET AIR SPRAY

SDS Revision Date:

12/12/2022



Benzaldehyde LD 50: > 2,000 mg/kg

## Inhalation

**Product:** Not classified for acute toxicity based on available data.

### Specified substance(s):

Distillates (petroleum),  
hydrotreated light LC 50: > 5 mg/l  
LC 50: > 20 mg/l

Propane LC 50: > 100 mg/l  
LC 50: > 100 mg/l

Butane LC 50: > 100 mg/l  
LC 50: > 100 mg/l

Benzaldehyde LC 50 (Rat): > 1 - < 5 mg/l

## Repeated dose toxicity

**Product:** No data available.

### Specified substance(s):

Distillates (petroleum),  
hydrotreated light NOAEL (Rat(Female, Male), Inhalation):  $\geq$  24 mg/m<sup>3</sup> Inhalation  
Experimental result, Key study  
NOAEL (Rat(Female), Oral, 70 - 147 d): 750 mg/kg Oral Experimental result,  
Key study

Propane NOAEL (Rat(Female, Male), Inhalation,  $\geq$  28 d): 4,000 ppm(m) Inhalation  
Experimental result, Key study  
LOAEL (Rat(Female, Male), Inhalation,  $\geq$  28 d): 12,000 ppm(m) Inhalation  
Experimental result, Key study

Butane LOAEL (Rat(Female, Male), Inhalation,  $\geq$  28 d): 12,000 ppm(m) Inhalation  
Experimental result, Key study  
NOAEL (Rat(Female, Male), Inhalation,  $\geq$  28 d): 4,000 ppm(m) Inhalation  
Experimental result, Key study

Benzaldehyde LOAEL (Rat(Female, Male), Inhalation, 14 d): 500 ppm(m) Inhalation  
Experimental result, Key study

## Skin Corrosion/Irritation

**Product:** No data available.

### Specified substance(s):

Distillates (petroleum),  
hydrotreated light in vivo (Rabbit): Not irritant Experimental result, Key study

Benzaldehyde in vivo (Rabbit): no conclusion can be drawn due to limited data  
Experimental result, Weight of Evidence study

## Serious Eye Damage/Eye Irritation

**Product:** No data available.

### Specified substance(s):

Distillates (petroleum),  
hydrotreated light Rabbit, 24 - 72 hrs: Not irritating

## Respiratory or Skin Sensitization

**Product:** No data available.

### Specified substance(s):

# Safety Data Sheet

SWEET AIR SPRAY

SDS Revision Date:

12/12/2022



Distillates (petroleum),  
hydrotreated light

Skin sensitization: in vivo (Guinea pig): Non sensitizing

# Safety Data Sheet

SWEET AIR SPRAY

SDS Revision Date:

12/12/2022



Benzaldehyde

Skin sensitization: in vivo (Guinea pig): Non sensitizing

## Carcinogenicity

**Product:** No data available.

## IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

## US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

## US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

## Germ Cell Mutagenicity

### In vitro

**Product:** No data available.

### In vivo

**Product:** No data available.

## Reproductive toxicity

**Product:** No data available.

## Specific Target Organ Toxicity - Single Exposure

**Product:** No data available.

## Specific Target Organ Toxicity - Repeated Exposure

**Product:** No data available.

## Aspiration Hazard

**Product:** No data available.

### Specified substance(s):

Distillates (petroleum),  
hydrotreated light      May be fatal if swallowed and enters airways.

# Safety Data Sheet

SWEET AIR SPRAY

SDS Revision Date:

12/12/2022



**Other effects:** No data available.

## 12. Ecological information

### Ecotoxicity:

#### Acute hazards to the aquatic environment:

##### Fish

<b>Product:</b>	No data available.
<b>Specified substance(s):</b>	
Propane	LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study
Butane	LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study
Benzaldehyde	LC 50 (96 h): 12.4 mg/l Experimental result, Key study
Acetic acid, pentyl ester	LC 50 (Western mosquitofish ( <i>Gambusia affinis</i> ), 96 h): 65 mg/l Mortality

##### Aquatic Invertebrates

<b>Product:</b>	No data available.
<b>Specified substance(s):</b>	
Butane	LC 50 ( <i>Daphnia</i> sp., 48 h): 69.43 mg/l QSAR QSAR, Key study
Benzaldehyde	EC 50 ( <i>Daphnia magna</i> , 24 h): 50 mg/l Experimental result, Key study
Acetic acid, pentyl ester	LC 50 (Water flea ( <i>Daphnia magna</i> ), 24 h): 210 mg/l Mortality

#### Chronic hazards to the aquatic environment:

##### Fish

**Product:** No data available.

##### Specified substance(s):

##### Distillates (petroleum),hydrotreated light

NOAEL (*Oncorhynchus mykiss*): 0.098 mg/l QSAR QSAR, Key study

##### Aquatic Invertebrates

**Product:** No data available.

##### Toxicity to Aquatic Plants

**Product:** No data available.

#### Persistence and Degradability

##### Biodegradation

**Product:** No data available.

##### Specified substance(s):

Distillates (petroleum), hydrotreated light 61 % Detected in water. Experimental result, Supporting study

# Safety Data Sheet

SWEET AIR SPRAY

SDS Revision Date:

12/12/2022



Propane	100 % (385.5 h) Detected in water. Experimental result, Key study 50 % (3.19 d) Detected in water. QSAR, Weight of Evidence study
Butane	100 % (385.5 h) Detected in water. Experimental result, Key study
Benzaldehyde	>= 95 % Detected in water. Experimental result, Key study

## BOD/COD Ratio

**Product:** No data available.

## Bioaccumulative potential

### Bioconcentration Factor (BCF)

**Product:** No data available.

## Partition Coefficient n-octanol / water (log Kow)

**Product:** No data available.

## Mobility in soil:

No data available.

## Known or predicted distribution to environmental compartments

Distillates (petroleum), hydrotreated light	No data available.
Propane	No data available.
Butane	No data available.
Benzaldehyde	No data available.
Acetic acid, pentyl ester	No data available.

**Other adverse effects:** No data available.

## 13. Disposal considerations

### 13.1. Waste treatment methods

Discharge, treatment, or disposal may be subject to national, state, or local laws.

### 13.2. Contaminated Packaging

No data available

## 14. Transport information

	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA
<b>14.1. UN number</b>	UN1950	UN1950	UN1950
<b>14.2. UN proper shipping name</b>	UN1950, Aerosol, 2.1, Limited Quantity	UN 1950 Aerosols, Aerosol, 2.1, Limited Quantity	UN 1950 Aerosols, 2.1, Limited Quantity
<b>14.3. Transport hazard class(es)</b>	<b>2.1</b>	<b>2 Sub Class:</b> Not Applicable	<b>2.1</b>
<b>14.4. Packing group</b>	II	II	II
<b>14.5. Environmental hazards</b>	<b>No</b>	<b>No</b>	<b>No</b>
Marine-Pollutant	No	No	No
<b>14.6. Special precautions for user</b>	Not regulated	Not regulated	Not regulated

# Safety Data Sheet

SWEET AIR SPRAY

SDS Revision Date:

12/12/2022



## 15. Regulatory information

### US Federal Regulations

Restrictions on use: Not known.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

### CERCLA Hazardous Substance List (40 CFR 302.4): Chemical

Identity	Reportable quantity
Propane	lbs. 100
Butane	lbs. 100
Butanoic acid, ethyl ester	lbs. 100
Acetic acid, pentyl ester	lbs. 5000
Ammonium hydroxide(NH <sub>4</sub> )(OH)	lbs. 1000

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### Hazard categories

Fire Hazard  
Immediate (Acute) Health Hazards  
Flammable aerosol  
Aspiration Hazard

### SARA 302 Extremely Hazardous Substance

<u>Chemical Identity</u>	<u>Reportable quantity</u>	<u>Threshold Planning Quantity</u>
Distillates (petroleum), hydrotreated light		

### SARA 304 Emergency Release Notification

<u>Chemical Identity</u>	<u>Reportable quantity</u>
Distillates (petroleum), hydrotreated light	
Propane	lbs. 100
Butane	lbs. 100
Butanoic acid, ethyl ester	lbs. 100
Acetic acid, pentyl ester	lbs. 5000
Ammonium hydroxide ((NH <sub>4</sub> )(OH))	lbs. 1000

### SARA 311/312 Hazardous Chemical

<u>Chemical Identity</u>	<u>Threshold Planning Quantity</u>
Distillates (petroleum), hydrotreated light	10000 lbs
Propane	10000 lbs
Butane	10000 lbs
Benzaldehyde	10000 lbs
Acetic acid, pentyl ester	10000 lbs
Acetic acid, phenylmethyl ester	((NH <sub>4</sub> )(OH))
Ammonium hydroxide	

# Safety Data Sheet

SWEET AIR SPRAY

SDS Revision Date:

12/12/2022



10000 lbs

10000 lbs

# Safety Data Sheet

SWEET AIR SPRAY

SDS Revision Date:

12/12/2022



## SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130): Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)**

## US State Regulations

### US. California Proposition 65

No ingredient requiring a warning under CA Prop 65.

### US. New Jersey Worker and Community Right-to Know Act

#### Chemical Identity

Distillates (petroleum), hydrotreated light  
Propane  
Butane  
Benzaldehyde

### US. Massachusetts RTK - Substance List

No ingredient regulated by MA Right-to-Know Law present.

### US. Pennsylvania RTK - Hazardous Substances

#### Chemical Identity

Distillates (petroleum), hydrotreated light  
Propane  
Butane  
Benzaldehyde

### US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.

## International regulations

### Montreal protocol

Distillates (petroleum), hydrotreated light

### Stockholm convention

Distillates (petroleum), hydrotreated light

### Rotterdam convention

Distillates (petroleum), hydrotreated light

### Kyoto protocol

# Safety Data Sheet

SWEET AIR SPRAY

SDS Revision Date:

12/12/2022



## Inventory Status:

Australia AICS:	On or in compliance with the inventory
Canada DSL Inventory List:	On or in compliance with the inventory
Canada NDSL Inventory:	Not in compliance with the inventory.
Ontario Inventory:	On or in compliance with the inventory
China Inv. Existing Chemical Substances:	On or in compliance with the inventory
Japan (ENCS) List:	Not in compliance with the inventory
Japan ISHL Listing:	Not in compliance with the inventory.
Japan Pharmacopoeia Listing:	Not in compliance with the inventory.
Korea Existing Chemicals Inv. (KECI):	On or in compliance with the inventory
Mexico INSQ:	Not in compliance with the inventory.
New Zealand Inventory of Chemicals:	On or in compliance with the inventory
Philippines PICCS:	On or in compliance with the inventory
Taiwan Chemical Substance Inventory:	On or in compliance with the inventory
US TSCA Inventory:	On or in compliance with the inventory
EINECS, ELINCS or NLP:	Not in compliance with the inventory.

# Safety Data Sheet

SWEET AIR SPRAY

SDS Revision Date:

12/12/2022



## 16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The opinions expressed are those of qualified experts within ComStar International Inc. We believe that the information contained is current as of the date of the Material Safety Data Sheet. Since the use of this information and of these opinions and the conditions of the use of the product are not within the control of ComStar International Inc., it is the user's obligation to determine the conditions of safe use of the product.

End of Document