SOLDER JOINT PRESSURE FITTINGS

45° ELBOWS / 90° ELBOWS



45° ELBOW CONNECTION WROT CAST **WE-507** FTG x FTG WROT ELKHART 106-2-2 CAST 606-2-2 N/A N/A **Nominal Size Dimensions** Qty Number Qty 2 50 1,700 .02 W 03621 1/2 W 03626 50 750 .04 13/16 W 03634 250 .10 1 11/64 3/4 W 03644 10 100 .17 17/16

90° ELBOW – SHORT RADIUS WROT CONNECTION CAST WE-500 C. Y.C. F-200*

CAST
707
ons C
12
64
54
54
2
2
3
6
32
12
34

Noi 1	ninal Size 2 3	Part Number	Box Qty	Master Qty	Approx Net Wt	A Di	mensions B	C
			RE	DUCIN	G			
1/4	X 1/8	W 02011	50	750	.02	7/16	11/32	
3/8	x 1/4	W 02019	50	750	.03	9/16	7/16	
1/2	x 3/8	W 02023	50	500	.04	5/8	1/2	
	x 1/4	W 02025	50	500	.05	21/32	7/16	
5/8	x ½	W 02029	50	500	.08	11/16	19/32	
	x 3/8	W 02030	50	500	.07	13/16	1/2	
3/4	x 5/8	W 02035	50	500	.11	29/32	7/8	
	x ½	W 02036	50	500	.10	59/64	21/32	
	x 3/8	W 02037	50	500	.10	15/16	5/8	
1	x 3/4	W 02049	25	250	.17	1	7/8	
	x 5/8	W 02050	25	250	.16	1	7/8	
	x ½	W 02051	25	250	.18	13/16	3/4	
	x 3/8	W 02052	25	150	.20	1 11/32	21/32	
11/4	x1	W 02056	20	200	.31	17/16	11/8	
	x 3/4	A 02638*	10	100	.34	9/16	13/16	
	x ½	A 03826 *	10	100	.28	15/32	27/32	
11/2	x 11/4	W 02077	5	100	.33	1 %4	55/64	
	x1	A 02663*	10	100	.55	11/16	1	
	x 3/4	A 03905*	10	100	.43	19/32	31/32	
2	x11/2	W 02078	5	50	.60	19/16	1 13/64	
	x11/4	A 02691 *	5	50	.91	7/8	11/4	
	x1	A 02724*	5	50	.78	3/4	11/4	
21/2	x2	A 02725*	1	25	2.16	13/16	19/32	
3	x 21/2	A 02777*	1	20	2.76	111/16	11/2	
	x2	A 02778*	1	20	2.68	13/8	19/16	
4	x3	A 01932*	1	10	5.18	129/32	215/32	







WROT WE-500L			C x C			CAST		
WROT 107-L	ELKHAR [*]	CAST			WROT 607LT	NIBC		CAST N/A
Nominal Size		Part Number	Box Qty	Master Qty	Approx Net Wt	A Di	imensio B	ns C
1/8	V	02715	50	2,000	.01	1/2	1/2	
1/4	V	02716	50	1,700	.02	3/4	3/4	
3/8	V	02717	50	500	.04	3/4	3/4	
1/2	V	02722	50	500	.06	7/8	7/8	
5/8	V	02728	50	500	.11	11/8	11/8	
3/4	V	02734	25	250	.15	13/16	13/16	

TABLE OF CONTENTS



ACCESSORIES FITTING COPPER FITTING BRUSHES – CARBON STEEL COPPER FITTING BRUSHES – STAINLESS STEEL COPPER FITTING BRUSHES – HEAVY DUTY CARBON 35 COPPER TUBE BRUSHES ABRASIVE MESH CLOTH ABRASIVE CLEANING PADS PLUMBERS SANDCLOTH 35 WET PROOF SANDCLOTH 35

SOLDER JOINT DWV FITTI	NGS	
FITTING	CONNECTION	PAGE
ADAPTER - TRAP	FTGxSJ	36
ADAPTER – TRAP	CxSJ	36
ADAPTER – TRAP	FxSJ	36
ADAPTER – TRAP	MxSJ	36
ADAPTER - SOIL PIPE	CxHub	37
ADAPTER - SOIL PIPE	CxSpigot	37
ADAPTER - SOIL PIPE	CxNoHub	37
ADAPTER - SOIL PIPE	CxSpigot	37
ADAPTER – TRAP	CxO.D. Tube	38
ADAPTER - TRAP	CxM	38
ADAPTER - FLUSH-TRAP	CxM	38
ADAPTER	CxSJTHD	38
ADAPTER - MALE	CxM	39
ADAPTER – FEMALE	CxF	39
ADAPTER	FTGxF	39
BUSHING - EXTENDED	FTGxC	39
CLEANOUT - W/PLUG	FTGxC.O.	40
CLEANOUT - FLUSH W/PLUG	FTGxC.O.	40
CLOSET FLANGE – C X 4 FLANGE	CxCloset	40
CLOSET FLANGE	CxCloset	40
COUPLING	CxC	41
REPAIR COUPLING	CxC	41
45° ELBOW	CxC	41
45° ELBOW, CAST	CxC	41
45° ELBOW – STREET	FTGxC	42
90° ELBOW	C×C	42
90° ELBOW, CAST	CXC	42
90° ELBOW – EXTRA LONG TURN	CxC	42
90° ELBOW – STREET	FTGxC	43
90° ELBOW, CAST – STREET	FTGxC	43
90° ELBOW	CxF	43
22½° Elbow	C×C	43
11¼° Elbow	CxC	44
60° ELBOW	CxC	44
90° ELBOW – W/LOW HEEL INLET	CxCxC	44

SOLDER JOINT DWV FITTINGS (cont.)					
FITTING	CONNECTION	PAGE			
PLUG	M	44			
TEE	CxCxC	45			
TEE, CAST	CxCxC	45			
TEE	CxFxC	45			
TEE	CxCxF	45			
TEE - DOUBLE (CROSS)	CxCxCxC	46			
TEE - TEST	CxCxC.O.	46			
LONG TURN T-Y - DOUBLE-BAFF	FLECxCxCxC	46			
TEST CAP	C	46			
ELBOW - DOUBLE	CxCxC	47			
LONG TURN T-Y	CxCxC	47			
LONG TURN T-Y - DOUBLE	CxCxCxC	47			
VENT INCREASER	CxTube	47			
45° WYE	CxCxC	48			
45° WYE – DOUBLE	CxCxCxC	48			
DRUM TRAP - SWIVEL	CxCxC.O.	48			
P-TRAP - W/CLEANOUT	CxSJ	48			
P-TRAP	CxSJ	49			
P-TRAP - W/CLEANOUT	CxC	49			
P-TRAP	CxC	49			
P-TRAP - W/UNION JOINT	CxSJ	49			
RETURN BEND	CxSJ	50			
RETURN BEND - W/CLEANOUT	CxC	50			
RETURN BEND	CxC	50			

COPPER TUBE					
FITTING	PAGE				
TYPEK	51				
TYPE L & ACR	51				
TYPE M	51				
DWV	52				
REFRIGERATION SERVICE TUBE	52				
TECHNICAL DATA	52				
TEMPERATURE-PRESSURE RATINGS	52				

CUN	NECTION DESCRIPTIONS
SYMBOL	DESCRIPTION OF FITTING ENDS
C	Copper (cup) manufactured to receive coppr tube diameter
FTG	Fitting end made to copper tube diameter
F	Female, internal ANSI Standard taper pipe thread (NPTI)
M	Male, external ANSI Standard taper pipe thread (NPTE)
SP	Spigot (Pipe O.D.)
SJ	Slip Joint

SOLDER JOINT PRESSURE FITTINGS

DIMENSIONS



GENERAL INFORMATION

In 1930, Mueller Brass Company invented and pioneered the now famous STREAMLINE® solder-type fittings. This development led to making all-copper plumbing the standard of the industry.

Today, Mueller manufactures and markets one of the industry's most complete lines of copper products from one source. Included are wrot and cast solder-type pressure and DWV fittings. The many years of engineering know-how and experience are reflected in the fine quality and workmanship of the STREAMLINE® products listed on the following pages.

DIMENSIONS OF DWV SOLDER JOINT FITTING ENDS



	А		В
SIZE	MAX	MIN	MIN
1/8	.256	.252	.31
1/4	.381	.377	.31
3/8	.506	.502	.38
1/2	.631	.627	.50
5/8	.756	.752	.62
3/4	.881	.877	.75
1	1.132	1.128	.91
11/4	1.382	1.378	.97
11/2	1.633	1.628	1.09
2	2.133	2.128	1.34
21/2	2.633	2.628	1.47
3	3.133	3.128	1.66
31/2	3.633	3.628	1.91
4	4.133	4.128	2.16
5	5.133	5.128	2.66
6	6.133	6.128	3.09
8	8.133	8.128	3.97



	A	l.	В
SIZE	MAX	MIN	MIN
1/8	.251	.248	.38
1/4	.376	.373	.38
3/8	.501	.497	.44
1/2	.626	.622	.56
5/8	.751	.747	.69
3/4	.876	.872	.81
1	1.127	1.122	.97
11/4	1.377	1.372	1.03
11/2	1.627	1.621	1.16
2	2.127	2.121	1.41
21/2	2.627	2.621	1.53
3	3.127	3.121	1.72
31/2	3.627	3.621	1.67
4	4.127	4.121	2.22
5	5.127	5.121	2.72
6	6.127	6.121	3.22
8	8.127	8.121	4.09

LIMITED WARRANTY



RESIDENTIAL COPPER PLUMBING PRODUCTS

WHAT THE WARRANTY TERMS MEAN

In this warranty "Manufacturer" refers to Mueller Industries, Inc. or its subsidiaries, which manufactures the Product, and any person or company that assumes its obligation under this warranty. "Homeowner" means s the owner of the residential building in the United States in which the Product has been installed and also means any succeeding owner during the original warranty term. "Product" means the copper water tube and/or copper or brass fittings manufactured by the Manufacturer for the residential building market in the United States. Manufacturer warrants only Products it has manufactured and does not warrant Products of any other company.

DATE THE WARRANTY BEGINS

The warranty begins on the date of the new home purchase, or in the case of home additions or renovations, on the date the installation is completed. The warranty is transferable to succeeding Homeowners for the remainder of the original warranty term, in which case the date the warranty begins shall continue without change.

WHAT IS COVERED

The Manufacturer warrants to the Homeowner for a period of 50 years from the date the warranty begins that its properly installed Product will be free of failure as a result of defects in material or workmanship in manufacturing the Product.

WHAT THE MANUFACTURER WILL DO FOR YOU

As long as (1) such a failure occurs within 50 years from the date the warranty begins and (2) the Homeowner promptly notifies the Manufacturer of the Product of that failure by contacting it through its 800 phone number listed below, the Manufacturer will correct that failure by repairing or replacing the Product within a reasonable time, without charge. This warranty is limited to the cost of repairing or replacing the Product, including installation.

WHAT IS NOT COVERED; DISCLAIMER OF LIABILITY FOR CONSEQUENTIAL AND OTHER DAMAGES

The Manufacturer does NOT warrant against failure:

- 1. of any product, parts, or systems that it has not manufactured;
- 2. if the Product is used for purposes other than residential plumbing applications;
- 3. caused by, contributed in whole or in part by, or resulting from, any of the following:
 - (a) improper installation;
 - (b) abuse, such as, without limitation, vandalism;
 - (c) natural disasters, such as, without limitation, flooding, windstorm and lightning;
 - (d) attachments or modifications to the Product that the Manufacturer did not authorize;
 - (e) external causes, where external, physical or chemical qualities produce damage to the Product, such as, without limitation, aggressive water or an unsuitable or hostile environment; or
 - (f) any other cause beyond the Manufacturer's control.

The Manufacturer shall NOT be liable under any circumstances for any other direct or any indirect, incidental or consequential damages of any kind.

THIS IS THE ONLY WARRANTY

THIS WARRANTY IS THE ONLY WARRANTY FOR THE PRODUCT PROVIDED BY THE MANUFACTURER, AND IS AND SHALL BE IN LIEU OF ANY AND ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO AN IMPLIED WARRANTY OF MERCHANTABILITY, AND OF ALL OTHER OBLIGATIONS OR LIABILITIES ON THE PART OF THE MANUFACTURER. NONE OF THE MANUFACTURER'S EMPLOYEES, AND NO OTHER PERSON OR BUSINESS, IS AUTHORIZED TO MAKE ANY OTHER WARRANTY ON THE MANUFACTURER'S BEHALF COVERING THE PRODUCT.

THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, AND YOU MAY ALSO HAVE OTHER RIGHTS WHICH VARY FROM STATE TO STATE. SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION OR EXCLUSION MAY NOT APPLY TO YOU.

Mueller Industries, Inc.

Memphis, TN