

REM®

PRESSURE BALANCE TUB/SHOWER VALVE TRIM WITH DIVERTER



- European minimalist design
- Cast brass valve with built-in check stops
- · Ceramic disc valve cartridge
- Adjustable hot limit safety stop
- Pressure balance cartridge maintains constant output temperature in response to changes in relative hot and cold supply pressures
- Integral diverter
- Concealed mounting hardware

CODES AND STANDARDS

Meets or Exceeds ASME A112.18.1/CSA B125.1/ASSE 1016

AVAILABLE FINISHES Polished Chrome **Brushed Nickel**

FINISH CODE 100 144

DESCRIPTION Pressure Balance Tub/Shower Trim

Tub/Shower Rough Valve (required component)

> 1-5/8" TO 3-1/4" (41 TO 83 mm)

FINISHED WALL 1/2" (13 mm) I.P.S. **BOTTOM OF** SHOWER HEAD OPTIONAL TO FINISHED FLOOR 3" TO 4" (76 TO 102 mm) USUALLY BETWEEN 80" & 86" (2032 & 2184 mm)

74" FOR HEAD CLEARANCE 8-3/8" (OPTIONAL) (213 mm) (1880 mm) 48" TO 54" (1219 TO 1372 mm) **OPTIONAL** BOTTOM OF TUB

IMPORTANT: These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages.

PART OF LIXIL

PRODUCT NUMBER

D35100600.XXX

D35000600.191